

## Test Report

No.: TJHL2311009180FT-1

Date: JAN.08, 2024

Page: 1 of 6

NINE UNITED LIMITED

F15, NO.100 EAST YAN'AN ROAD, SHANGHAI, CHINA

**THE TEST REPORT IS TO SUPERSEDE THE TEST REPORT No.: TJHL2311009180FT, DATE: DEC.22, 2023.**

The following sample(s) was/were submitted and identified by the client as:

Sample Description : PALISSADE CORD DINING ARMCHAIR  
 Manufacture : TANGSHAN ZEAO METAL PRODUCTS CO., LTD  
 Country of Origin : CHINA

\*\*\*\*\*

Sample Receiving Date : NOV.29, 2023  
 Testing Period : NOV.29, 2023 TO DEC.22, 2023  
 Test Performed : SELECTED TEST(S) AS REQUESTED BY APPLICANT  
 Test Requested : PLEASE REFER TO THE RESULT SUMMARY.  
 Test Result(s) : FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)  
 Test Summary :

Test Requested	Conclusion
EN 581-1:2017-OUTDOOR FURNITURE-SEATING AND TABLES FOR CAMPING, DOMESTIC AND CONTRACT USE-PART 1. GENERAL SAFETY REQUIREMENTS	Pass
EN 581-2:2015+AC:2016-OUTDOOR FURNITURE-SEATING AND TABLE FOR CAMPING, DOMESTIC AND CONTRACT USE-MECHANICAL SAFETY REQUIREMENTS AND TEST METHODS FOR SEATING EXCLUDING CLAUSE 8	Pass
EN 16139:2013+AC:2013 FURNITURE – STRENGTH, DURABILITY AND SAFETY REQUIREMENT FOR NON-DOMESTIC SEATING EXCLUDING CLAUSE 7	Pass

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services (Tianjin) Co., Ltd.

*Michael*



Michael Wen  
 Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t(86-22) 59995061  
 中国·天津·经济技术开发区海云街80号C-9厂房 邮编: 300457 t(86-22) 59995061

[www.sgs.com](http://www.sgs.com)  
[sgs.china@sgs.com](http://sgs.china@sgs.com)

## Test Report

No.: TJHL2311009180FT-1

Date: JAN.08, 2024

Page: 2 of 6

### Test Conducted:

EN 581-2:2015+AC:2016

Type of Furniture : Outdoor seating for domestic use - outdoor seating intended for private use in places use without public access.

Nos. of Specimen : 1 pc.

Use of the product : For Contract use

Test Result : Pass. Details shown as following table

Clause	Test Items	Result	Note
6	Safety, strength and durability requirements for loungers		
6.1	General	N/A	# 1
6.2	Stability, strength and durability	N/A	# 1
7	Safety, strength and durability requirements for other seating		
7.1	General	Pass	# 2
7.2	Stability, strength and durability	Pass	# 3&# 4
8	Information for use		
8.1	General	N/C	# 5
8.2	Marking for loungers	N/C	# 5

Table 1 EN 581-1:2017

Clause	Test Items	Result	Note
5	Safety requirements	---	---
5.1	General	Pass	---
5.2	Tubular components	Pass	---
5.3	Shear and squeeze points	---	---
5.3.1	Shear and squeeze points when erecting, adjusting and folding away	N/A	# 1
5.3.2	Shear and squeeze points under the influence of powered mechanisms	N/A	# 1
5.3.3	Shear and squeeze points during use	Pass	---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t (86-22) 59995061  
中国·天津·经济技术开发区海云街80号C-9厂房 邮编: 300457 t (86-22) 59995061

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No.: TJHL2311009180FT-1

Date: JAN.08, 2024

Page: 3 of 6

Table 2 Test results of strength and durability requirements for other seating (Based on EN 1728:2012)

Clause	Test Items	Test parameters	Result
EN 1728: 2012, 6.4	Seat static load and back static load test	Specified seat load:2000 N; Specified backrest load:560 N; 10 Cycles	Pass
EN 1728: 2012, 6.5	Seat front edge static load	Specified force: 1300 N; 10 Cycles	Pass
EN 1728: 2012, 6.17	Combined Seat and back durability test	Specified seat load:1000 N; Specified backrest load:330 N; 50000 Cycles	Pass
EN 1728: 2012, 6.19	Durability test on seating with a multi-position back rest	/	N/A
EN 1728: 2012, 6.11	Arm rest static load test	Vertical specified force:900 N; 10 Cycles	Pass
EN 1728: 2012, 6.20	Arm rest durability test	Specified force: 400 N; 30000 Cycles	Pass
EN 1728: 2012, 6.15	Leg forward static load test	Seat load:1000N; Horizontal specified forces:400N; 10 Cycles	Pass
EN 1728: 2012, 6.16	Leg sideward static load test	Seat load:1000N; Horizontal specified forces:300N; 10 Cycles	Pass
EN 1728: 2012, 6.24	Seat impact test	Drop height:240 mm; 10 Cycles	Pass
EN 1728: 2012, 6.8	Foot rest static test	/	N/A

Table 3 EN 1022: 2005 Domestic furniture – seating – determination of stability

Clause	Test Items	Result	Note
6	Test Procedure and requirements, All seating: Experimental Method.		
6.2	Forwards Overbalancing , All Seating	Pass	---
6.3	Forwards overturning for seating with footrest	N/A	# 1
6.6	Rearwards Overbalancing ,All Seating With Backs	Pass	---
6.4	Sideways Overbalancing , All Seating Without Arms	N/A	# 1
6.5	Sideways Overbalancing , All Seating With Arms	Pass	---

- Notes :
- # 1- N/A means not applicable to this product design.
  - # 2- Test according to EN 581-1:2017 Test results see table 1.
  - # 3- Test results see table 2.
  - # 4- Test results see table 3.
  - # 5- N/C means not conducted as per client request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t(86-22) 59995061  
中国·天津·经济技术开发区海云街80号C-9厂房 邮编: 300457 t(86-22) 59995061

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](http://sgs.china@sgs.com)

## Test Report

No.: TJHL2311009180FT-1

Date: JAN.08, 2024

Page: 4 of 6

EN 16139:2013+AC:2013 Furniture – Strength, durability and safety requirement for non-domestic seating

Test condition : All the physical tests were carried out on 20°C±5°C condition.

Test level : Level L2

Nos. of Specimen : 1 pc.

Test Result : Pass. Details shown as following table

Clause	Test Items	Result	Note
4.1	General	Pass	---
4.2	Shear and squeeze points	---	---
4.2.1	Shear and squeeze points when setting up and folding	N/A	# 1
4.2.2	Shear and squeeze points under influence of powered mechanism	N/A	# 1
4.2.3	Shear and squeeze points during use	Pass	---
4.3	Stability	---	---
4.3.1	General	Pass	---
4.3.2	Swivelling chairs	N/A	# 1
4.3.3	Non swivelling chairs	Pass	# 2
4.4	Rolling resistance of the unloaded chair	N/A	# 1
4.5	Safety of the construction	Pass	# 3
5	Safety, strength and durability requirements	Pass	# 3
7	Information for use	N/C	# 4

Table 1 EN 1022:2005 Domestic furniture – seating – determination of stability

Clause	Test Items	Result	Note
6	Test Procedure and requirements, All seating: Experimental Method.		
6.2	Forwards Overbalancing , All Seating	Pass	---
6.3	Forwards overturning for seating with footrest	N/A	# 1
6.4	Sideways Overbalancing , All Seating Without Arms	N/A	# 1
6.5	Sideways Overbalancing , All Seating With Arms	Pass	---
6.6	Rearwards Overbalancing ,All Seating With Backs	Pass	---
7	Test Procedure and requirements for seating with variable. Geometry: Experimental method.		
7.3	Tilt chairs	N/A	# 1
7.4	Rocking chairs	N/A	# 1
7.5	Reclining chair with footrest	N/A	# 1
7.6	Footrest test	N/A	# 1
7.7	Reclining chairs without footrest	N/A	# 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t(86-22) 59995061

中国·天津·经济技术开发区海云街80号C-9厂房 邮编: 300457 t(86-22) 59995061

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](http://sgs.china@sgs.com)



## Test Report

No.: TJHL2311009180FT-1

Date: JAN.08, 2024

Page: 5 of 6

Table 2 EN 1728:2012 Furniture - Seating - Test methods for the determination of strength and durability

Clause	Test Items	Test parameters	Result
6.4	Seat static load and back static load test	Seat force:2000 N; Backrest force:700 N; 10 times	Pass
6.5	Seat front edge static load	Force:1600 N; 10 times	Pass
6.6	Vertical static load on back	Force:900 N; Seat load:1800 N 10 times	Pass
6.8	Foot rest static load test	/	N/A
6.9	Leg rest static load test	/	N/A
6.10	Arm sideways static load test	Force:900 N; 10 times	Pass
6.11	Arm downwards static load test	Force:900 N; 5 times	Pass
6.13.1	Seating which may be moved when occupied	/	N/A
6.13.2	Stacking seating	/	N/A
6.17	Seat and back durability test	200000 cycles; Seat:1000 N; Back:300 N	Pass
6.18	Seat front edge durability test	100000 cycles; Force:800 N	Pass
6.20	Arm durability test	60000 cycles; Force:400 N	Pass
6.21	Foot rest durability test	/	N/A
6.15	Leg forward static load test	Force:620 N; Seat load:1800 N; 10 times	Pass
6.16	Leg sideways static load test	Force:760 N; Seat load:1800 N; 10 times	Pass
6.24	Seat impact test	Drop height:300 mm; 10 times	Pass
6.25	Back impact test	Height of fall: 330 mm/48° 10 times	Pass
6.26	Arm impact test	Height of fall: 330 mm/48° 10 times	Pass
6.27.1	Drop test (multiple seating)	/	N/A
6.14	Auxiliary writing surface static load test	/	N/A
6.22	Auxiliary writing surface durability test	/	N/A

- Notes :
- # 1- N/A means not applicable for this product design.
  - # 2- Test according to EN 1022:2005, test results see table 1.
  - # 3- Test according to EN 1728: 2012, test results see table 2.
  - # 4- N/C means not conduct as per client request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t(86-22) 59995061  
中国·天津·经济技术开发区海云街80号C-9厂房 邮编: 300457 t(86-22) 59995061

[www.sgs.com.cn](http://www.sgs.com.cn)  
[sgs.china@sgs.com](http://sgs.china@sgs.com)

## Test Report

No.: TJHL2311009180FT-1

Date: JAN.08, 2024

Page: 6 of 6

### Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusion of this report are only made for these data and / or information, SGS is not responsible for the authenticity, integrity and results for the data and information and / or the validity of the conclusion. Testing results only apply to the sample as received.
2. The declaration of conformity is only based on the actual value of laboratory activity; measurement uncertainty of the results not take into account.
3. The report revised the sample description.

### SAMPLE INFORMATION AND PICTURES

Overall Dimensions: 625 mm x 660 mm x 800mm  
Weight: 10.8 kg

#### Sample as Received



View 1



View 2



View 3



View 4

SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t(86-22) 59995061  
中国·天津·经济技术开发区海云街80号C-9厂房 邮编: 300457 t(86-22) 59995061

[www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
[sgs.china@sgs.com](mailto:sgs.china@sgs.com)