

## Test Report No.: TJHL2311009181FT-1 Date: JAN.08, 2024 Page: 1 of 6

NINE UNITED LIMITED

F15, NO.100 EAST YAN'AN ROAD, SHANGHAI, CHINA

# THE TEST REPORT IS TO SUPERSEDE THE TEST REPORT No.: TJHL2311009181FT, DATE: DEC.22, 2023.

The following sample(s) was/were submitted and identified by the client as:

Sample Description	: PALISSADE CORD LOUNGE CHAIR LOW		
Manufacture	: TANGSHAN ZEAO METAL PRODUCTS CO., LTD		
Country of Origin	: CHINA		
*******			
Sample Receiving Date	: NOV.29, 2023		
Testing Period	: NOV.29, 2023 TO DEC.22, 2023		
Test Performed	: SELECTED TEST(S) AS REQUESTED BY APPLICANT		
Test Requested	: PLEASE REFER TO THE RESULT SUMMARY.		
Test Result(s)	: FOR FURTHER DETAILS, PLEASE REFER TO THE		

FOLLOWING PAGE(S)

**Test Summary** 

Test Requested	Conclusion
EN 581-1:2017-OUTDOOR FURNITURE-SEATING AND	Pass
TABLES FOR CAMPING, DOMESTIC AND CONTRACT	
USE-PART 1. GENERAL SAFETY REQUIREMENTS	
EN 581-2:2015+AC:2016-OUTDOOR FURNITURE-	Pass
SEATING AND TABLE FOR CAMPING, DOMESTIC	
AND CONTRACT USE-MECHANICAL SAFETY	
REQUIREMENTS AND TEST METHODS FOR SEATING	
EXCLUDING CLAUSE 8	
EN 16139:2013+AC:2013 FURNITURE – STRENGTH,	Pass
DURABILITY AND SAFETY REQUIREMENT FOR NON-	
DOMESTIC SEATING EXCLUDING CLAUSE 7	

Signed for and on behalf of SGS-CSTC Standards Technical Services (Tianjin) Co., Ltd.

1

Muchael



Michael Wen Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@ess.com"



# Test Report No.: TJHL2311009181FT-1 Date: JAN.08, 2024 Page: 2 of 6

#### Test Conducted:

EN 581-	581-2:2015+AC:2016				
Type of	ype of Furniture         Outdoor seating for domestic use - outdoor seating int places use without public access.				ate use in
Nos. of	Nos. of Specimen : 1 pc.				
Use of t	Use of the product : For Contract use				
Test Re	sult	:	Pass. Details shown as following table		
Clause	Test Iter	ns		Result	Note
6	Safety, s	streng	th and durability requirements for loungers		
6.1	General	-		N/A	# 1
6.2	Stability,	, stren	igth and durability	N/A	# 1
7	Safety, s	streng	th and durability requirements for other seating		
7.1	7.1 General		Pass	#2	
7.2			ath and durability	Pass	# 3&# 4</td></tr><tr><td>8</td><td colspan=4>,</td><td></td></tr><tr><td>8.1</td><td>General</td><td></td><td></td><td>N/C</td><td>#5</td></tr><tr><td>8.2</td><td colspan=2></td><td>N/C</td><td># 5</td></tr><tr><td colspan=5></td><td></td></tr><tr><td colspan=6>Table 1 EN 581-1:2017</td></tr><tr><td>Clause</td><td colspan=4>ause Test Items</td><td>Note</td></tr><tr><td>5</td><td>Safety re</td><td>equire</td><td>ments</td><td></td><td></td></tr><tr><td>5.1</td><td>General</td><td></td><td></td><td>Pass</td><td></td></tr><tr><td>5.2</td><td colspan=4>5.2 Tubular components</td><td></td></tr><tr><td>5.3</td><td>Shear ar</td><td></td><td></td><td></td></tr><tr><td></td><td>5.3.1</td><td></td><td>ear and squeeze points when erecting, adjusting and</td><td>N/A</td><td># 1</td></tr><tr><td></td><td></td><td></td><td>ing away</td><td></td><td></td></tr><tr><td></td><td>5.3.2</td><td></td><td>ear and squeeze points under the influence of powered</td><td>N/A</td><td># 1</td></tr><tr><td colspan=4>mechanisms</td><td></td><td></td></tr></tbody></table>

5.3.3 Shear and squeeze points during use Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Snot exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report	No.: TJHL2311009181FT-1 Dat	e: JAN.08, 2024 Page: 3 of 6			
Table 2 Test results of strength and durability requirements for other seating (Based on EN 1728:2012)         Clause       Test Items         Test Nesult					
EN 1728: 2012, 6.4	Seat static load and back static loa				
		Specified backrest load:560 N;			
EN 1728: 2012, 6.5	Seat front edge static load	10 Cycles Specified force: Pas 1300 N;	SS		
EN 1728: 2012, 6.17	Combined Seat and back durability	test Specified seat Pas load:1000 N;	SS		
		Specified backrest load:330 N;			
EN 1728: 2012, 6.19	Durability test on seating with a mu position back rest	50000 Cycles Iti- / N//	A		
EN 1728: 2012, 6.11	Arm rest static load test	Vertical specified Pas force:900 N; 10 Cycles	SS		
EN 1728: 2012, 6.20	Arm rest durability test	Specified force: Pas 400 N; 30000 Cycles	SS		
EN 1728: 2012, 6.15	Leg forward static load test	Seat load:1000N; Pas Horizontal specified forces:400N; 10 Cycles	SS		
EN 1728: 2012, 6.16	Leg sideward static load test	Seat load:1000N; Pas Horizontal specified forces:300N; 10 Cycles	SS		
EN 1728: 2012, 6.24	Seat impact test	Drop height:240 mm; Pas 10 Cycles	SS		
EN 1728: 2012, 6.8	Foot rest static test	<i>i</i> N//	A		
Table 3EN 1022: 2005 Domestic furniture – seating – determination of stabilityClauseTest ItemsResult6Test Procedure and requirements, All seating: Experimental Method.					
	erbalancing , All Seating	Pass			
6.3 Forwards ove	rturning for seating with footrest	N/A # 1			
	verbalancing ,All Seating With Backs	Pass			
	erbalancing , All Seating Without Arm				
	erbalancing , All Seating With Arms	Pass			
Notes : # 1- N/A means not applicable to this product design.					
	according to EN 581-1:2017 Test res	sults see table 1.			
	results see table 2.				
#/l_ loct					

- # 4- Test results see table 3.
- # 5- N/C means not conducted as per client request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com
Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t (86-22) 59995061 www.sgsgroup.com.cn egs.china@gs.com



# Test Report No.: TJHL2311009181FT-1 Date: JAN.08, 2024 Page: 4 of 6

EN 16139:2013+AC:2013 Furniture - Strength, durability and safety requirement for non-domestic

Test condition	:	All the physical tests were carried out on 20°C±5°C condition.
Test level	:	Level L2

Nos. of Specimen : 1 pc.

Test Result : Pass. Details shown as following table

<u>Clause</u>	Test Items	<u>Result</u>	<u>Note</u>
4.1	General	Pass	
4.2	Shear and squeeze points		
4.2.1	Shear and squeeze points when setting up and folding	N/A	# 1
4.2.2	Shear and squeeze points under influence of powered mechanism	N/A	# 1
4.2.3	Shear and squeeze points during use	Pass	
4.3	Stability		
4.3.1	General	Pass	
4.3.2	Swivelling chairs	N/A	# 1
4.3.3	Non swivelling chairs	Pass	#2
4.4	Rolling resistance of the unloaded chair	N/A	# 1
4.5	Safety of the construction	Pass	#3
5	Safety, strength and durability requirements	Pass	#3
7	Information for use	N/C	#4
Table 1	EN 1022:2005 Domestic furniture – seating – determination of stabili	ty	
<u>Clause</u>	<u>Test Items</u>	<u>Result</u>	<u>Note</u>
6	Test Procedure and requirements, All seating: Experimental Method.	_	
6.2	Forwards Overbalancing , All Seating	Pass N/A	 
6.3 6.4	Forwards overturning for seating with footrest Sideways Overbalancing , All Seating Without Arms	N/A N/A	# 1 # 1
6.5	Sideways Overbalancing , All Seating Without Arms	Pass	
6.6	Rearwards Overbalancing ,All Seating With Backs	Pass	
7	Test Procedure and requirements for seating with variable.		
7.0	Geometry: Experimental method.	N1/A	ща
7.3 7.4	Tilt chairs Rocking chairs	N/A N/A	# 1 # 1
7.5	Reclining chair with footrest	N/A	# 1
7.6	Footrest test	N/A	# 1
7.7	Reclining chairs without footrest	N/A	# 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t(86-22)59995061 中国・天津・经济技术开发区海云街80号C−9厂房 邮编: 300457 t<sup>(86-22)59995061</sup>

sas.co



## Test Report No.: TJHL2311009181FT-1 Date: JAN.08, 2024 Page: 5 of 6

Table 2 EN 1728:2012 Furniture - Seating - Test methods for the determination of strength and durability

durability			
<u>Clause</u>	<u>Test Items</u>	<u>Test parameters</u>	<u>Result</u>
6.4	Seat static load and back static load test	Seat force:2000 N;	Pass
		Backrest force:700 N;	
		10 times	
6.5	Seat front edge static load	Force:1600 N;	Pass
	-	10 times	
6.6	Vertical static load on back	Force:900 N;	Pass
		Seat load:1800 N	
		10 times	
6.8	Foot rest static load test	/	N/A
6.9	Leg rest static load test	, , ,	N/A
6.10	Arm sideways static load test	Force:900 N;	Pass
0.10	Ann sideways static load test	10 times	1 435
C 11	Arm downwards static load test		Pass
6.11	Ann downwards static load test	Force:900 N;	Pass
0.40.4		5 times	N1/A
6.13.1	Seating which may be moved when occupied	1	N/A
6.13.2	Stacking seating	/	N/A
6.17	Seat and back durability test	200000 cycles;	Pass
		Seat:1000 N;	
		Back:300 N	
6.18	Seat front edge durability test	100000 cycles;	Pass
		Force:800 N	
6.20	Arm durability test	60000 cycles;	Pass
		Force:400 N	
6.21	Foot rest durability test	/	N/A
6.15	Leg forward static load test	Force:620 N;	Pass
	ů –	Seat load:1800 N;	
		10 times	
6.16	Leg sideways static load test	Force:760 N;	Pass
0110		Seat load:1800 N;	
		10 times	
6.24	Seat impact test	Drop height:300 mm;	Pass
0.24		10 times	1 400
6.25	Back impact test	Height of fall:	Pass
0.23	Dack impact test	330 mm/48°	r ass
		10 times	_
6.26	Arm impact test	Height of fall:	Pass
		330 mm/48°	
		10 times	
6.27.1	Drop test (multiple seating)	/	N/A
6.14	Auxiliary writing surface static load test	/	N/A
6.22	Auxiliary writing surface durability test	/	N/A
	, , ,		

- Notes : # 1- N/A means not applicable for this product design.
  - # 2- Test according to EN 1022:2005, test results see table 1.
  - # 3- Test according to EN 1728: 2012, test results see table 2.
  - # 4- N/C means not conduct as per client request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/res.arb/conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/rems-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report feer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China
300457 t(86-22) 59995061

www.sgsgroup.com.en
sgs.china@gss.com



#### **Test Report** No.: TJHL2311009181FT-1 Date: JAN.08, 2024 Page: 6 of 6

#### Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusion of this report are only made for these data and / or information, SGS is not responsible for the authenticity, integrity and results for the data and information and / or the validity of the conclusion. Testing results only apply to the sample as received.

2. The declaration of conformity is only based on the actual value of laboratory activity; measurement uncertainty of the results not take into account.

3. The report revised the sample description.

#### SAMPLE INFORMATION AND PICTURES

735 mm x 820 mm x 710mm **Overall Dimensions:** Weight: 14.5 kg



Sample as Received



SGS authenticate the photo on original report only

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is say be prosecuted to the fullest extend of the authentives stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, sas.co Building C-9, No.80, Haiyun Avenue, TEDA, Tianjin, China 300457 t (86-22) 59995061 www.sgsgroup.com.cn

中国・天津・经济技术开发区海云街80号C-9厂房 邮编: 300457 t(86-22)59995061